Funkia

Registration: FPL LO 269645

Breed: Ragdoll

Microchip Number: N/A

DNA Test Report

Sample ID: FQXHCNB Test Date: 10/19/2023 Optimal Selection - Feline

Owner Info

First Name **Last Name** Binh Alley

Pet Info

Registered Name Date of Birth 3/16/2023 Funkia

Nickname (Call Name) Sample ID **FQXHCNB**

Sex Registration FPL LO 269645 Female

Country of Origin Microchip ID N/A

Owner Reported Breed Tattoo ID Ragdoll N/A

Funkia

Registration: FPL LO 269645

Breed: Ragdoll

Microchip Number: N/A

DNA Test Report

Sample ID: FQXHCNB Test Date: 10/19/2023 Optimal Selection - Feline

Genetic Diversity (Heterozygosity)

Funkia's Percentage of Heterozygosity

35%

Funkia's genome analysis shows an average level of genetic heterozygosity when compared with other Ragdolls.

Typical Range for Ragdolls

32 - 37%

Funkia

Registration: FPL LO 269645

Breed: Ragdoll

Microchip Number: N/A

DNA Test Report

Sample ID: FQXHCNB Test Date: 10/19/2023 Optimal Selection - Feline

Health Conditions Known in This Breed

| Genetic Condition | Gene | Risk Variant | Copies | Result |
|---|-------|--------------|--------|--------|
| Factor XII Deficiency (Variant 1) | F12 | Deletion | 0 | Clear |
| Factor XII Deficiency (Variant 2) | F12 | Deletion | 0 | Clear |
| Hypertrophic Cardiomyopathy (Discovered in the Ragdoll) | MYBPC | C>T | 0 | Clear |
| Polycystic Kidney Disease (PKD) | PKD1 | C>A | 0 | Clear |

Other Conditions Tested

| Genetic Condition | Gene | Risk Variant | Copies | Result |
|---|---------|--------------|--------|--------|
| Acute Intermittent Porphyria (Variant 1) | HMBS | Deletion | 0 | Clear |
| Acute Intermittent Porphyria (Variant 2) | HMBS | G>A | 0 | Clear |
| Acute Intermittent Porphyria (Variant 3) | HMBS | Insertion | 0 | Clear |
| Acute Intermittent Porphyria (Variant 4) | HMBS | Deletion | 0 | Clear |
| Acute Intermittent Porphyria (Variant 5) | HMBS | G>A | 0 | Clear |
| Autoimmune Lymphoproliferative Syndrome | FASL | Insertion | 0 | Clear |
| Burmese Head Defect (Discovered in the Burmese) | ALX1 | Deletion | 0 | Clear |
| Chediak-Higashi Syndrome (Discovered in the Persian) | LYST | Insertion | 0 | Clear |
| Congenital Adrenal Hyperplasia | CYP11B1 | G>A | 0 | Clear |
| Congenital Erythropoietic Porphyria | UROS | G>A | 0 | Clear |
| Congenital Myasthenic Syndrome (Discovered in the Devon Rex and Sphynx) | COLQ | G>A | 0 | Clear |
| Cystinuria Type 1A | SCL3A1 | C>T | 0 | Clear |
| Cystinuria Type B (Variant 1) | SCL7A9 | C>T | 0 | Clear |
| Cystinuria Type B (Variant 2) | SCL7A9 | G>A | 0 | Clear |
| Cystinuria Type B (Variant 3) | SCL7A9 | T>A | 0 | Clear |
| Dihydropyrimidinase Deficiency | DPYS | G>A | 0 | Clear |

Funkia

Registration: FPL LO 269645

Breed: Ragdoll

Microchip Number: N/A

DNA Test Report

Sample ID: FQXHCNB Test Date: 10/19/2023 Optimal Selection - Feline

Other Conditions Tested (continued)

| Genetic Condition | Gene | Risk Variant | Copies | Result |
|--|-------|--------------|--------|--------|
| Earfold and Osteochondrodysplasia (Discovered in the Scottish Fold) | TRPV4 | G>T | 0 | Clear |
| Familial Episodic Hypokalemic Polymyopathy (Discovered in the Burmese) | WNK4 | C>T | 0 | Clear |
| Glutaric Aciduria Type II | ETFDH | T>G | 0 | Clear |
| Glycogen Storage Disease (Discovered in the Norwegian Forest Cat) | GBE1 | Insertion | 0 | Clear |
| GM1 Gangliosidosis | GLB1 | G>C | 0 | Clear |
| GM2 Gangliosidosis | GM2A | Deletion | 0 | Clear |
| GM2 Gangliosidosis Type II (Discovered in Domestic Shorthair cats) | HEXB | Insertion | 0 | Clear |
| GM2 Gangliosidosis Type II (Discovered in Japanese domestic cats) | HEXB | C>T | 0 | Clear |
| GM2 Gangliosidosis Type II (Discovered in the Burmese) | HEXB | 0>0 | 0 | Clear |
| Hemophilia B (Variant 1) | F9 | C>T | 0 | Clear |
| Hemophilia B (Variant 2) | F9 | G>A | 0 | Clear |
| Hyperoxaluria Type II | GRHPR | G>A | 0 | Clear |
| Hypertrophic Cardiomyopathy (Discovered in the Maine Coon) | MYBPC | G>C | 0 | Clear |
| Hypotrichosis (Discovered in the Birman) | FOXN1 | Deletion | 0 | Clear |
| Lipoprotein Lipase Deficiency | LPL | G>A | 0 | Clear |
| MDR1 Medication Sensitivity | ABCB1 | Deletion | 0 | Clear |
| Mucopolysaccharidosis Type I | IDUA | Deletion | 0 | Clear |
| Mucopolysaccharidosis Type VI | ARSB | T>C | 0 | Clear |
| Mucopolysaccharidosis Type VI Modifier | ARSB | G>A | 0 | Clear |
| Mucopolysaccharidosis Type VII (Variant 1) | GUSB | G>A | 0 | Clear |
| Mucopolysaccharidosis Type VII (Variant 2) | USB | C>T | 0 | Clear |
| Myotonia Congenita | CLCN1 | G>T | 0 | Clear |

Funkia

Registration: FPL LO 269645

Breed: Ragdoll

Microchip Number: N/A

DNA Test Report

Sample ID: FQXHCNB Test Date: 10/19/2023 Optimal Selection - Feline

Other Conditions Tested (continued)

| Genetic Condition | Gene | Risk Variant | Copies | Result |
|--|---------|--------------|--------|--------|
| Progressive Retinal Atrophy (Discovered in the Abyssinian) | CEP290 | T>G | 0 | Clear |
| Progressive Retinal Atrophy (Discovered in the Bengal) | KIF3B | G>A | 0 | Clear |
| Progressive Retinal Atrophy (Discovered in the Persian) | AIPL1 | C>T | 0 | Clear |
| Pyruvate Kinase Deficiency | PKLR | G>A | 0 | Clear |
| Sphingomyelinosis (Variant 1) | NPC1 | G>C | 0 | Clear |
| Sphingomyelinosis (Variant 2) | NPC2 | G>A | 0 | Clear |
| Spinal Muscular Atrophy (Discovered in the Maine Coon) | LIX1 | Deletion | 0 | Clear |
| Vitamin D-Dependent Rickets | CYP27B1 | G>T | 0 | Clear |

Funkia

Registration: FPL LO 269645

Breed: Ragdoll

Microchip Number: N/A

DNA Test Report

Sample ID: FQXHCNB Test Date: 10/19/2023 Optimal Selection - Feline

Blood Type

Blood Type Genotype A/A (Most common)

Transfusion Risk Breeding Risk

Moderate

Funkia has the most common blood type. She If breeding, Funkia has a low risk of blood can be transfused with Type A blood. type incompatibility with nursing kittens.

| Variant Tested | Description | Copies |
|----------------------------------|--------------------------------|--------|
| b variant 1 | (Common b variant) | 0 |
| b variant 2 | (Discovered in Turkish breeds) | 0 |
| b variant 3 | (Discovered in Ragdolls) | 0 |
| c variant - Causes AB Blood Type | (Discovered in Ragdolls) | 0 |

Funkia

Registration: FPL LO 269645

Breed: Ragdoll

Microchip Number: N/A

DNA Test Report

Sample ID: FQXHCNB Test Date: 10/19/2023 Optimal Selection - Feline

Coat Color

| Genetic Trait | Gene | Variant | Copies | Result |
|--|------|---------------------|--------|-----------------------------------|
| Charcoal (Discovered in the Bengal) | ASIP | A ^{Pb} | 0 | No effect |
| Solid Color | ASIP | а | 2 | Solid color hairs likely |
| Gloving (Discovered in the Birman) | KIT | w ^g | 0 | No effect |
| Partial and Full White | KIT | W or w ^s | 2 | Partly or fully white coat likely |
| Amber (Discovered in the Norwegian Forest Cat) | MC1R | е | 0 | No effect |
| Russet (Discovered in the Burmese) | MC1R | e ^r | 0 | No effect |
| Dilution | MLPH | d | 2 | Lightened coat color likely |
| Albinism (Discovered in Oriental breeds) | TYR | C a | 0 | No effect |
| Colorpoint (Discovered in the Burmese) | TYR | c ^b | 0 | No effect |
| Colorpoint (Discovered in the Siamese) | TYR | c° | 2 | Siamese colorpoint pattern likely |
| Mocha (Discovered in the Burmese) | TYR | c ^m | 0 | No effect |
| Chocolate | TYRP | b | 0 | No effect |
| Cinnamon | TYRP | b | 0 | No effect |

Coat Type

| Genetic Trait | Gene | Variant | Copies | Result |
|--|--------------|------------------|--------|---------------------------------------|
| Glitter | Confidential | _ | 0 | No effect |
| Long Hair (Discovered in many breeds) | FGF5 | M4 | 1 | Long coat possible, short coat likely |
| Long Hair (Discovered in the Norwegian Forest Cat) | FGF5 | M2 | 0 | No effect |
| Long Hair (Discovered in the Ragdoll and Maine Coon) | FGF5 | М3 | 1 | Long coat possible, short coat likely |
| Long Hair (Discovered in the Ragdoll) | FGF5 | M1 | 0 | No effect |
| Lykoi Coat (Variant 1) | HR | hr ^{Ca} | 0 | No effect |

Funkia

Registration: FPL LO 269645

Breed: Ragdoll

Microchip Number: N/A

DNA Test Report

Sample ID: FQXHCNB Test Date: 10/19/2023 Optimal Selection - Feline

Coat Type (continued)

| Genetic Trait | Gene | Variant | Copies | Result |
|---|-------|------------------|--------|-----------|
| Lykoi Coat (Variant 2) | HR | hr ^{VA} | 0 | No effect |
| Hairlessness (Discovered in the Sphynx) | KRT71 | re ^{hr} | 0 | No effect |
| Rexing (Discovered in the Devon Rex) | KRT71 | re ^{dr} | 0 | No effect |
| Rexing (Discovered in the Cornish Rex and German Rex) | LPAR6 | r | 0 | No effect |

Tail Length

| Genetic Trait | Gene | Variant | Copies | Result |
|------------------------|------|----------|--------|-----------|
| Short Tail (Variant 3) | HES7 | jb | 0 | No effect |
| Short Tail (Variant 1) | Т | C1199del | 0 | No effect |
| Short Tail (Variant 2) | Т | T988del | 0 | No effect |

Extra Toes

| Genetic Trait | Gene | Variant | Copies | Result |
|-------------------------|--------|---------|--------|-----------|
| Polydactyly (Variant 1) | LIMBR1 | HW | 0 | No effect |
| Polydactyly (Variant 2) | LIMBR1 | UK1 | 0 | No effect |
| Polydactyly (Variant 3) | LIMBR1 | UK2 | 0 | No effect |